


Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate:  $x=0.3741$   $y=0.3794/u'=0.2199$   $v'=0.5018$

CCT=4193K(Duv=0.0032) Dominant WL:Ld =576.5nm Purity=26.1%

Peak WL:Lp=589.4nm FWHM=145.7nm

Render Index:Ra=81.7 Render Index:AvgR =74.6

R1 =79 R2 =90 R3 =96 R4 =79 R5 =79 R6 =86 R7 =85

R8 =61 R9 =0 R10=75 R11=77 R12=62 R13=82 R14=98 R15=72

Photometric & Radiometric Parameters

Flux=11161 lm Eff.:112.29 lm/W Fe=33.47 W

Fmol(umol/s):155.82 Fluo. and blue light ratio:4.126 Fluorescent eff.:150.2

Electrical parameters

V=230.1 V I=0.7797 A P=99.40 W PF=0.5541 Kdisp(IEC) = 0 F=49.99 Hz

功率因数 Kdisp(IEC)=0 频率=49.99 Hz

LEVEL:OUT WHITE:ANSI\_4000K

Status: Integral T=10 ms I<sub>q</sub> HOT 15180 (23%) Number:51  
 Model:LLR100WSMDW4000K Test By Test Mode: Fast Test; Sensitivity: 2024-06-21 10:55:26  
 Temperature:25.3Deg Humidity:65.0%  
 Manufacturer: Remarks:  
 Assessor:damin