


Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3185$ $y=0.3493$ $u'=0.1944$ $v'=0.4796$

CCT=6105K(Duv=0.0105) Dominant WL:Ld =506.6nm Purity=4.5%

Peak WL:Lp=451.1nm FWHM=23.7nm

Render Index:Ra=82.4 Render Index:AvgR =74.6

R1 =79 R2 =86 R3 =92 R4 =82 R5 =80 R6 =82 R7 =89

R8 =69 R9 =4 R10=68 R11=81 R12=58 R13=80 R14=96 R15=73

Photometric & Radiometric Parameters

Flux=1201 lm Eff.:112.33 lm/W Fe=3.842 W

Fmol(umol/s):17.259 Fluo. and blue light ratio:2.915 Fluorescent eff.:132.4

Electrical parameters

V=230.1 V I=0.09394 A P=10.69 W PF=0.4949 Kdisp(IEC) = 0 F=49.99 Hz

功率因数 Kdisp(IEC)=0 频率=49.99 Hz

LEVEL:OUT

WHITE:OUT

Status: Integral T=10 ms IP = 1815 (3%)
Model: LLR10WMOZSMDW6000K-P-4 HOT Number: 96

Test By: Test Mode: Fast Test; Sensitivity: 2024-06-21 15:31:14

Temperature: 25.3Deg

Humidity: 65.0%

Manufacturer:

Remarks:

Assessor: damin