


Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3136$ $y=0.3436/u'=0.1931$ $v'=0.4760$

CCT=6361K(Duv=0.0100) Dominant WL:Ld =498.5nm Purity=6.1%

Peak WL:Lp=451.4nm FWHM=23.1nm

Render Index:Ra=82.3 Render Index:AvgR =74.6

R1 =79 R2 =85 R3 =91 R4 =82 R5 =80 R6 =81 R7 =90

R8 =70 R9 =6 R10=67 R11=81 R12=58 R13=80 R14=95 R15=74

Photometric & Radiometric Parameters

Flux=3496 lm Eff.:113.69 lm/W Fe=11.20 W

Fmol(umol/s):50.524 Fluo. and blue light ratio:2.841 Fluorescent eff.:145.2

Electrical parameters

V=230.0 V I=0.2481 A P=30.75 W PF=0.5388 Kdisp(IEC) = 0 F=49.96 Hz

功率因数 Kdisp(IEC)=0 频率=49.96 Hz

LEVEL:OUT

WHITE:OUT

Status: Integral T=10 ms IP=5625 (9%)
Model:LLR30WSMDW6000K -4 HOT Number:93

Test By:Test Mode: Fast Test; Sensitivity: 2024-06-21 15:27:38

Temperature:25.3Deg Humidity:65.0%

Manufacturer: Remarks:

Assessor:damin